

Iar:Wistar-Imamichi 系ラット を使用した論文リスト

*2021年1月7日にPubMedで検索した資料の一部です。

*本系統は日本エスエルシー株式会社経由でも提供されています。

ラット：クローズドコロニー



Iar:Wistar-Imamichi 系ラット

- 特徴
 - ・4日性周期、早熟、多産、温順
 - ・採卵や卵移植が容易で生殖工学研究に有用
- 毛色 白
- 由来 1938年 Wistar Institute Standard Strain Lot No. 1359



GnRH(1-5), a metabolite of gonadotropin-releasing hormone, enhances luteinizing hormone release via activation of kisspeptin neurons in female rats.

Ieda N, Iah A, Minabe S, Ikegami K, Watanabe Y, Sugimoto Y, Sugimoto A, Kawai N, Ishii H, Inoue N, Uenoyama Y, Tsukamura H. Endocr J 2020; 67(4): 409-418. doi: 10.1507/endocrj.EJ19-0444.

Novel toxicity of tris(1,3-dichloro-2-propyl) phosphate in adult male rats. Kobayashi S, Abe K, Isobe A, Nakayama A, Akimoto T, Hatakeyama T, Saito Y, Yanagisawa R, Koike E, Suzuki N, Kawaguchi M, Ohta R. J Appl Toxicol. 2020 Sep 30. doi: 10.1002/jat.4075.

Strain and sex differences in drug hydrolase activities in rodent livers. Kisui F, Fukami T, Nakano M, Nakajima M. Eur J Pharm Sci. 2020 Jan 15;142:105143. doi: 10.1016/j.ejps.2019.105143.

Enhancement of the luteinising hormone surge by male olfactory signals is associated with anteroventral periventricular Kiss1 cell activation in female rats. Watanabe Y, Ikegami K, Ishigaki R, Ieda N, Uenoyama Y, Maeda KI, Tsukamura H, Inoue N. J Neuroendocrinol. 2017 Aug;29(8). doi: 10.1111/jne.12505.

The relationship between fear extinction and resilience to drug-dependence in rats. Ueno M, Yamada K, Ichitani Y. Neurosci Res. 2017 Aug;121:37-42. doi: 10.1016/j.neures.2017.03.006.

Intermittent Ibandronate Maintains Bone Mass, Bone Structure, and Biomechanical Strength of Trabecular and Cortical Bone After Discontinuation of Parathyroid Hormone Treatment in Ovariectomized Rats. Takeda S, Sakai S, Tanaka K, Tomizawa H, Serizawa K, Yogo K, Urayama K, Hashimoto J, Endo K, Matsumoto Y. Calcif Tissue Int. 2017 Jul;101(1):65-74. doi: 10.1007/s00223-017-0255-6.

Effects of 4-nitrophenol on expression of the ER- α and AhR signalling pathway-associated genes in the small intestine of rats. Tang J, Song M, Watanabe G, Nagaoka K, Rui X, Li C. Environ Pollut. 2016 Sep;216:27-37. doi: 10.1016/j.envpol.2016.05.040.

4-Nitrophenol exposure alters the AhR signalling pathway and related gene expression in the rat liver. Li R, Song M, Li Z, Li Y, Watanabe G, Nagaoka K, Taya K, Li C. J Appl Toxicol. 2017 Feb;37(2):150-158. doi: 10.1002/jat.3332.

A Single Neonatal Injection of Ethynodiol Impairs Passive Avoidance Learning and Reduces Expression of Estrogen Receptor α in the Hippocampus and Cortex of Adult Female Rats. Shiga T, Nakamura TJ, Komine C, Goto Y, Mizoguchi Y, Yoshida M, Kondo Y, Kawaguchi M. PLoS One. 2016 Jan 7;11(1):e0146136. doi: 10.1371/journal.pone.0146136.

Central estrogen action sites involved in prepubertal restraint of pulsatile luteinizing hormone release in female rats. Uenoyama Y, Tanaka A, Takase K, Yamada S, Pheng V, Inoue N, Maeda K, Tsukamura H. J Reprod Dev. 2015;61(4):351-9. doi: 10.1262/jrd.2014-143.

4-Nitro-3-phenylphenol has both androgenic and anti-androgenic-like effects in rats. Trisomboon J, Li C, Suzuki A, Watanabe G, Taya K. J Reprod Dev. 2015;61(2):134-7. doi: 10.1262/jrd.2014-110.

Long-term treatment with eldecalcitol (1α , 25-dihydroxy- 2β - (3-hydroxypropoxy) vitamin D3) suppresses bone turnover and leads to prevention of bone loss and bone fragility in ovariectomized rats. Takeda S, Smith SY, Tamura T, Saito H, Takahashi F, Samadfar R, Haile S, Doyle N, Endo K.

- Calcif Tissue Int. 2015 Jan;96(1):45–55. doi: 10.1007/s00223-014-9937-5.
- Effects of Hachimijiogan, a Kampo powder, on epididymidis sperm characteristics in healthy male rats. Wang Y, Murayama C, Michihara S, Saito TR, Norimoto H. Reprod Med Biol. 2014 Aug 15;14(1):33–38. doi: 10.1007/s12522-014-0191-3.
- Fertilizability of Superovulated Eggs by Estrous Stage-independent PMSG/hCG Treatment in Adult Wistar-Imamichi Rats. Kon H, Hokao R, Shinoda M. Exp Anim. 2014;63(2):175–82.
- An enriched rearing environment calms adult male rat sexual activity: implication for distinct serotonergic and hormonal responses to females. Urakawa S, Mitsushima D, Shimozuru M, Sakuma Y, Kondo Y. PLoS One. 2014 Feb 5;9(2):e87911. doi: 10.1371/journal.pone.0087911.
- Generation of muscular dystrophy model rats with a CRISPR/Cas system. Nakamura K, Fujii W, Tsuboi M, Tanihata J, Teramoto N, Takeuchi S, Naito K, Yamanouchi K, Nishihara M. Sci Rep. 2014 Jul 9;4:5635. doi: 10.1038/srep05635.
- Cloning, sequencing, and polymorphisms of the Wistar-Imamichi rat growth hormone gene using PCR-SSCP. Liu MQ, Wang JG, Li XL. Genet Mol Res. 2013 Dec 4;12(4):6203–11. doi: 10.4238/2013.December.4.7.
- Involvement of hyaluronan synthesis in ovarian follicle growth in rats. Takahashi N, Tarumi W, Ishizuka B. Reproduction. 2013 Dec 19;147(2):189–97. doi: 10.1530/REP-13-0464.
- Effects of estrogen on food intake, serum leptin levels and leptin mRNA expression in adipose tissue of female rats. Fungfung W, Terada M, Komatsu N, Moon C, Saito TR. Lab Anim Res. 2013 Sep;29(3):168–73. doi: 10.5625/lar.2013.29.3.168.
- Effects of Lactobacillus gasseri OLL2809 on the induced endometriosis in rats. Uchida M, Kobayashi O. Biosci Biotechnol Biochem. 2013;77(9):1879–81.
- Chronic peripheral administration of kappa-opioid receptor antagonist advances puberty onset associated with acceleration of pulsatile luteinizing hormone secretion in female rats. Nakahara T, Uenoyama Y, Iwase A, Oishi S, Nakamura S, Minabe S, Watanabe Y, Deura C, Noguchi T, Fujii N, Kikkawa F, Maeda K, Tsukamura H. J Reprod Dev. 2013 Oct;59(5):479–84.
- Quantitative and qualitative analysis of rat pup ultrasonic vocalization sounds induced by a hypothermic stimulus. Kromkhun P, Katou M, Hashimoto H, Terada M, Moon C, Saito TR. Lab Anim Res. 2013 Jun;29(2):77–83. doi: 10.5625/lar.2013.29.2.77.
- Serum leptin concentrations, leptin mRNA expression, and food intake during the estrous cycle in rats. Fungfung W, Nakada T, Nakao N, Terada M, Yokosuka M, Gizuranson S, Hau J, Moon C, Saito TR. Lab Anim Res. 2013 Mar;29(1):1–6. doi: 10.5625/lar.2013.29.1.1.
- Sequential observation of implanted endometriosis by laparoscopy in rats: correlation between the prevalence rate and the estrous cycle. Uchida M, Kobayashi O. J Pharmacol Sci. 2013;121(4):299–304.
- Involvement of the adrenal glands and testis in gap junction formation via testosterone within the male rat anterior pituitary gland. Sakuma E, Wada I, Otsuka T, Wakabayashi K, Ito K, Soji T, Herbert DC. Microsc Res Tech. 2012 Dec;75(12):1632–8. doi: 10.1002/jmrt.22108.
- Restoration of corpus luteum angiogenesis in immature hypothyroid rdw rats after thyroxine treatment: morphologic and molecular evidence. Macchiarelli G, Palmerini MG, Nottola SA, Cecconi S, Tanemura K, Sato E. Theriogenology. 2013 Jan 1;79(1):116–26. doi: 10.1016/j.theriogenology.2012.09.016.
- Synthesis and biological evaluation of novel (–)-Cercosporamide derivatives as potent selective PPAR γ modulators. Furukawa A, Arita T, Fukuzaki T, Mori M, Honda T, Satoh S, Matsui Y, Wakabayashi K, Hayashi S, Nakamura K, Araki K, Kuroha M, Tanaka J, Wakimoto S, Suzuki O, Ohsumi J. Eur J Med Chem. 2012 Aug;54:522–33. doi: 10.1016/j.ejmech.2012.05.040.
- Combination therapy with eldecalcitol and alendronate has therapeutic advantages over monotherapy by improving bone strength. Sakai S, Endo K, Takeda S, Miura M, Shiraishi A. Bone. 2012 May;50(5):1054–63. doi: 10.1016/j.bone.2012.02.005.
- Acute reproductive toxicity of 3,3'-iminodipropionitrile in female rats. Takahashi N, Tarumi W, Ishizuka B. Reprod Toxicol. 2012 Jan;33(1):27–34. doi: 10.1016/j.reprotox.2011.10.010.
- Pulsed magnetic stimulation with a high-frequency continuous magnetic stimulator (SMN-X) does not exert an adverse effect on genital organs and the estrous cycle in female Iar-Wistar-Imamichi rats. Sato E, Ueda Y, Imai Y, Suda S, Nakamura T, Yamanishi T, Shinoda M. Neurorol Urodyn. 2011 Nov;30(8):1675–80. doi: 10.1002/nau.21126.
- Effects of cyclophosphamide on the kaolin consumption (pica behavior) in five strains of adult male rats. Tohei A, Kojima S, Ikeda M, Hokao R, Shinoda

M. J Vet Med Sci. 2011 Jul;73(7):901–6.

- Effects of alfacalcidol on mechanical properties and collagen cross-links of the femoral diaphysis in glucocorticoid-treated rats. Saito M, Marumo K, Ushiku C, Kato S, Sakai S, Hayakawa N, Mihara M, Shiraishi A. *Calcif Tissue Int*. 2011 Apr;88(4):314–24. doi: 10.1007/s00223-011-9472-6.
- Genetic background of resistance to cadmium-induced testicular toxicity in inbred Wistar-Imamichi rats. Shimada H, Hata I, Hashiguchi T, Imamura Y. *Arch Toxicol*. 2011 Oct;85(10):1195–9. doi: 10.1007/s00204-011-0662-9.
- Pituitary-adrenal functions in a hereditary hypothyroid (rdw) rat. Tohei A, Umezawa M, Kanai T, Yamaguchi K, Kosaku A, Kon H, Shinoda M. *Exp Anim*. 2010;59(1):95–8.
- Comparison of effects of alfacalcidol and alendronate on mechanical properties and bone collagen cross-links of callus in the fracture repair rat model. Saito M, Shiraishi A, Ito M, Sakai S, Hayakawa N, Mihara M, Marumo K. *Bone*. 2010 Apr;46(4):1170–9. doi: 10.1016/j.bone.2009.12.008.
- Strain difference of cadmium-induced testicular toxicity in inbred Wistar-Imamichi and Fischer 344 rats. Shimada H, Narumi R, Nagano M, Yasutake A, Waalkes MP, Imamura Y. *Arch Toxicol*. 2009 Jul;83(7):647–52. doi: 10.1007/s00204-009-0442-y.
- Establishment of rat embryonic stem-like cells from the morula using a combination of feeder layers. Sano C, Matsumoto A, Sato E, Fukui E, Yoshizawa M, Matsumoto H. *Zygote*. 2009 Aug;17(3):229–37. doi: 10.1017/S0967199409005280.
- Exogenous androstenedione induces formation of follicular cysts and premature luteinization of granulosa cells in the ovary. Okutsu Y, Itoh MT, Takahashi N, Ishizuka B. *Fertil Steril*. 2010 Feb;93(3):927–35. doi: 10.1016/j.fertnstert.2008.10.064.
- Oestrogen-dependent stimulation of luteinising hormone release by galanin-like peptide in female rats. Uenoyama Y, Tsukamura H, Kinoshita M, Yamada S, Iwata K, Pheng V, Sajapitak S, Sakakibara M, Ohtaki T, Matsumoto H, Maeda KI. *J Neuroendocrinol*. 2008 May;20(5):626–31. doi: 10.1111/j.1365-2826.2008.01703.x.
- Analgesic effect of percutaneously absorbed non-steroidal anti-inflammatory drugs: an experimental study in a rat acute inflammation model. Sekiguchi M, Shirasaka M, Konno S, Kikuchi S. *BMC Musculoskelet Disord*. 2008 Jan 31;9:15. doi: 10.1186/1471-2474-9-15.
- Strain difference of cadmium accumulation by liver slices of inbred Wistar-Imamichi and Fischer 344 rats. Shimada H, Yasutake A, Hirashima T, Takamure Y, Kitano T, Waalkes MP, Imamura Y. *Toxicol In Vitro*. 2008 Mar;22(2):338–43.
- Intercellular communication within the rat anterior pituitary: XIV electron microscopic and immunohistochemical study on the relationship between the agranular cells and GnRH neurons in the dorsal pars tuberalis of the pituitary gland. Shirasawa N, Sakuma E, Wada I, Naito A, Horiuchi O, Mabuchi Y, Kanai M, Herbert DC, Soji T. *Anat Rec (Hoboken)*. 2007 Nov;290(11):1388–98.
- Phenotypic characterization of spontaneously mutated rats showing lethal dwarfism and epilepsy. Suzuki H, Takenaka M, Suzuki K. *Comp Med*. 2007 Aug;57(4):360–9.
- A possible mechanism of resistance to cadmium toxicity in male Long-Evans rats. Takamure Y, Shimada H, Kiyozumi M, Yasutake A, Imamura Y. *Environ Toxicol Pharmacol*. 2006 May;21(3):231–4. doi: 10.1016/j.etap.2005.08.003.
- Rat strain differences in stereospecific 2-oxidation of RS-8359, a reversible and selective MAO-A inhibitor, by aldehyde oxidase. Sasaki T, Masubuchi A, Yamamura M, Watanabe N, Hiratsuka M, Mizugaki M, Itoh K, Tanaka Y. *Biopharm Drug Dispos*. 2006 Jul;27(5):247–55.
- Calcium supplementation does not reproduce the pharmacological efficacy of alfacalcidol for the treatment of osteoporosis in rats. Shiraishi A, Ito M, Hayakawa N, Kubota N, Kubodera N, Ogata E. *Calcif Tissue Int*. 2006 Mar;78(3):152–61.
- Variation with age in the numbers of ovulated ova and follicles of Wistar-Imamichi adult rats superovulated with eCG-hCG. Kagabu S, Umezawa M. *Exp Anim*. 2006 Jan;55(1):45–8.
- Long-term sucrose-drinking causes increased body weight and glucose intolerance in normal male rats. Kawasaki T, Kashiwabara A, Sakai T, Igarashi K, Ogata N, Watanabe H, Ichianagi K, Yamanouchi T. *Br J Nutr*. 2005 May;93(5):613–8.
- Intercellular communications within the rat anterior pituitary XI: an immunohistochemical study of distributions of S-100 positive cells in the anterior pituitary of the rat. Sato G, Shirasawa N, Sakuma E, Sato Y, Asai Y, Wada I, Horiuchi O, Sakamoto A, Herbert DC, Soji T. *Tissue Cell*. 2005 Aug;37(4):269–80.

- Estrous cycle stage-independent treatment of PMSG and hCG can induce superovulation in adult Wistar-Imamichi rats. Kon H, Tohei A, Hokao R, Shinoda M. *Exp Anim.* 2005 Apr;54(2):185-7.
- Differential pharmacokinetics of acetohexamide in male Wistar-Imamichi and Sprague-Dawley rats: role of microsomal carbonyl reductase. Imamura Y, Shimada H. *Biol Pharm Bull.* 2005 Jan;28(1):185-7.
- Strain- and sex-related differences of carbonyl reductase activities in kidney microsomes and cytosol of rats. Imamura Y, Shimada H. *J Appl Toxicol.* 2004 Nov-Dec;24(6):437-41.
- Effects of i.c.v. administration of leptin on copulatory and ingestive behavior in STZ-induced diabetic male rats. Saito TR, Tatsuno T, Takeda A, Hashimoto H, Suzuki M, Terada M, Aoki-Komori S, Tanaka M, Koranyi L, Nagy GM. *Exp Anim.* 2004 Oct;53(5):445-51.
- Strain differences of cadmium-induced hepatotoxicity in Wistar-Imamichi and Fischer 344 rats: involvement of cadmium accumulation. Shimada H, Takamure Y, Shimada A, Yasutake A, Waalkes MP, Imamura Y. *Toxicology.* 2004 Oct 15;203(1-3):189-97.
- Intercellular communication within the rat anterior pituitary: relationship between LH-RH neurons and folliculo-stellate cells in the pars tuberalis. Mabuchi Y, Shirasawa N, Sakuma E, Hashimoto Y, Kuno M, Coombs RJ, Herbert DC, Soji T. *Cell Tissue Res.* 2004 Jul;317(1):79-90.
- Determination of optimal conditions for parthenogenetic activation and subsequent development of rat oocytes in vitro. Mizutani E, Jiang JY, Mizuno S, Tomioka I, Shinozawa T, Kobayashi J, Sasada H, Sato E. *J Reprod Dev.* 2004 Feb;50(1):139-46.
- The development of diabetes mellitus in Wistar rats kept on a high-fat/low-carbohydrate diet for long periods. Wang Y, Wang PY, Qin LQ, Davaasambuu G, Kaneko T, Xu J, Murata S, Katoh R, Sato A. *Endocrine.* 2003 Nov;22(2):85-92.
- Strain difference in pituitary-adrenal axis between Wistar-Imamichi and Long Evans adult male rats. Tohei A, Mogi Y, Kon H, Hokao R, Shinoda M. *Exp Anim.* 2003 Oct;52(5):437-9.
- The effects of sex steroids on the formation of gap junctions between folliculo-stellate cells: a study in castrated male rats and ovariectomized female rats. Sakuma E, Herbert DC, Soji T. *Arch Histol Cytol.* 2003 Aug;66(3):229-38.
- Developmental expression of penile reflexes and copulatory behavior in male rats. Saito TR, Terada M, Moritani N, Hashimoto H, Oikawa T, Soeta S. *Exp Anim.* 2003 Apr;52(2):153-7.
- Increased transforming growth factor-beta1 and tubulointerstitial fibrosis in rats with congenital hydronephrosis. Zhou Y, Takahashi G, Shinagawa T, Okuhara T, Yonamine K, Aida Y, Tadokoro M. *Int J Urol.* 2002 Sep;9(9):491-500.
- Effect of hypothyroidism on beta-adrenoceptor-mediated relaxation in the rat thoracic aortae. A time-dependent study. Arpong B, Honda H, Kogo H. *Vascul Pharmacol.* 2002 Mar;38(3):149-55.
- Leptin and ciliary neurotrophic factor enhance the formation of gap junctions between folliculo-stellate cells in castrated male rats. Sakuma E, Herbert DC, Soji T. *Arch Histol Cytol.* 2002 Aug;65(3):269-78.
- A comparative study of isolation-induced ultrasonic vocalization in rodent pups. Motomura N, Shimizu K, Shimizu M, Aoki-Komori S, Taniguchi K, Serizawa I, Saito TR. *Exp Anim.* 2002 Apr;51(2):187-90.
- Three-dimensional imaging of hormone-secreting cells and their microvessel environment in estrogen-induced prolactinoma of the rat pituitary gland by confocal laser scanning microscopy. Itoh J, Kawai K, Serizawa A, Yamamoto Y, Ogawa K, Matsuno A, Watanabe K, Osamura RY. *Appl Immunohistochem Mol Morphol.* 2001 Dec;9(4):364-70.
- [Strain-, sex- and species-related differences of acetohexamide reductase and 20 beta-hydroxysteroid dehydrogenase activities in liver microsomes of experimental animals]. Imamura Y, Uchida A, Takada H, Otagiri M, Tsuchiya K. *Yakugaku Zasshi.* 2001 Jan;121(1):85-91. Japanese.
- A novel missense mutation (G2320R) in thyroglobulin causes hypothyroidism in rdw rats. Hishinuma A, Furudate S, Oh-Ishi M, Nagakubo N, Namatame T, Ieiri T. *Endocrinology.* 2000 Nov;141(11):4050-5.
- Intracerebroventricular administration of melanin-concentrating hormone suppresses pulsatile luteinizing hormone release in the female rat. Tsukamura H, Thompson RC, Tsukahara S, Ohkura S, Maekawa F, Moriyama R, Niwa Y, Foster DL, Maeda K. *J Neuroendocrinol.* 2000 Jun;12(6):529-34.
- [Physiological, genetic and pathological factors regulating the reductive metabolism of drugs with a ketone group]. Imamura Y. *Yakugaku Zasshi.* 1999

- Nov;119(11):835-49. Review. Japanese.
- Postmenopause-like bone loss by mammary carcinoma Walker256/S which secretes luteinizing hormone-releasing hormone. Waki Y, Miyamoto K, Yamamoto S, Saitoh Y, Kasugai S, Ohya K. *Jpn J Pharmacol.* 1999 Jun;80(2):119-25.
- Effects of XT-44, a phosphodiesterase 4 inhibitor, in osteoblastgenesis and osteoclastogenesis in culture and its therapeutic effects in rat osteopenia models. Waki Y, Horita T, Miyamoto K, Ohya K, Kasugai S. *Jpn J Pharmacol.* 1999 Apr;79(4):477-83.
- Sex-dependent pharmacokinetics and in vitro reductive metabolism of acetohexamide in Wistar-Imamichi rats. Imamura Y, Kaneko M, Mori Y, Otagiri M. *Biol Pharm Bull.* 1999 Apr;22(4):435-8.
- Walker 256/S carcinosarcoma causes osteoporosis-like changes through ectopical secretion of luteinizing hormone-releasing hormone. Waki Y, Nomura M, Kasugai S, Ohya K, Miyamoto K. *Cancer Res.* 1999 Mar 15;59(6):1219-24.
- Evaluation and characterization of congenital hypothyroidism in rdw dwarf rats. Umezawa M, Kagabu S, Jiang J, Sato E. *Lab Anim Sci.* 1998 Oct;48(5):496-501.
- [Effect of postmortem change on detection of apoptosis in rats]. Kanetake J, Nata M, Adachi N, Hashiyada M, Ji G, Sagisaka K. *Nihon Hoigaku Zasshi.* 1998 Apr;52(2):144-8. Japanese.
- Strain differences in cytochrome P4501A1 gene expression caused by 2,3,7,8-tetrachlorodibenzo-p-dioxin in the rat liver: role of the aryl hydrocarbon receptor and its nuclear translocator. Jana NR, Sarkar S, Yonemoto J, Tohyama C, Sone H. *Biochem Biophys Res Commun.* 1998 Jul 30;248(3):554-8.
- Effects of follicle-stimulating hormone on endothelin receptors in cultured rat ovarian granulosa cells. Usuki S, Kobayashi S, Sugimoto M, Kotani E, Otani S, Kubo T, Ishii T, Murakami K, Miyazaki H. *J Cardiovasc Pharmacol.* 1998;31 Suppl 1:S225-9.
- Lipid lowering effects of pravastatin in common marmosets. Miyazaki A, Koga T. *Arzneimittelforschung.* 1998 Feb;48(2):154-60.
- Individual variation of acetohexamide reductase activities in liver microsomes and cytosol of rats. Imamura Y, Kozono Y, Mori Y, Takada H, Otagiri M. *Biol Pharm Bull.* 1997 Aug;20(8):924-6.
- Effects of different intensity endurance training on the capillary network in rat skeletal muscle. Kano Y, Shimegi S, Masuda K, Sakato H, Ohmori H, Katsuta S. *Int J Microcirc Clin Exp.* 1997 Mar-Apr;17(2):93-6.
- Localized osteoarticular change due to joint immobilization: biomechanical test and bone densitometry in rat's hind limb model. Akai M, Shirasaki Y, Tateishi T, Yasuoka S. *Arch Orthop Trauma Surg.* 1997;116(3):129-32.
- The extracellular matrices and vascularization of the developing corpus luteum in rats. Matsushima T, Fukuda Y, Tsukada K, Yamanaka N. *J Submicrosc Cytol Pathol.* 1996 Oct;28(4):441-55.
- Ovarian carbonyl reductase activity in rats at persistent oestrus. Inazu N, Fujii T. *J Reprod Fertil.* 1996 Sep;108(1):123-30.
- Heredity of muscle fiber composition and correlated response of the synergistic muscle in rats. Suwa M, Nakamura T, Katsuta S. *Am J Physiol.* 1996 Aug;271(2 Pt 2):R432-6.
- Neovascularization of the corpus luteum of rats during the estrus cycle. Tsukada K, Matsushima T, Yamanaka N. *Pathol Int.* 1996 Jun;46(6):408-16.
- Estrogen regulation of gonadotropin-releasing hormone receptor messenger RNA in female rat pituitary tissue. Quiñones-Jenab V, Jenab S, Ogawa S, Funabashi T, Weesner GD, Pfaff DW. *Brain Res Mol Brain Res.* 1996 Jun;38(2):243-50.
- Inheritance of acetohexamide reductase activities in liver microsomes and cytosol of rats. Imamura Y, Takada H, Kimura R, Mori Y, Otagiri M. *Life Sci.* 1996;59(25-26):2201-8.
- Hypertension and the renin-angiotensin system in the congenital hydronephrosis rat with non-obstructive pelviureteric junction abnormalities. Tauchi K, Kanehara H. *Exp Nephrol.* 1996 Jan-Feb;4(1):60-4.
- Effect of the proteoglycan (PSK) on lymphocyte subsets in normal rats. Nakasaki H, Hanaue H, Ohta M, Kamiyoh A, Tajima T, Fujii K, Mitomi T, Kurosawa T. *Tokai J Exp Clin Med.* 1995 May;20(1):37-44.
- Osteoporosis-like changes in Walker carcinoma 256-bearing rats, not accompanied with hypercalcemia or parathyroid hormone-related protein production. Waki Y, Miyamoto K, Kasugai S, Ohya K. *Jpn J Cancer Res.* 1995 May;86(5):470-6.

- Efficient induction of superovulation in adult rats by PMSG and hCG. Mukumoto S, Mori K, Ishikawa H. *Exp Anim.* 1995 Apr;44(2):111-8.
- Retinoic acid stage-dependently alters the migration pattern and identity of hindbrain neural crest cells. Lee YM, Osumi-Yamashita N, Ninomiya Y, Moon CK, Eriksson U, Eto K. *Development.* 1995 Mar;121(3):825-37.
- Immunohistochemical analysis of rat and human respiratory cilia with anti-dynein antibody: comparison between normal cilia and pathological cilia in primary ciliary dyskinesia. Umeda A, Yoshida T, Yamaguchi K, Kanazawa M, Torikata C. *Virchows Arch.* 1995;427(4):401-6.
- Strain- and sex-related differences of acetohexamide reductase activities in liver microsomes and cytosol of rats: the Wistar-Imamichi strain lacks the male-specific microsomal enzyme activity. Imamura Y, Kimura R, Kozono Y, Otagiri M. *Life Sci.* 1995;57(19):1811-7.
- [Blood volume determination in female SPF rats of Wistar-Imamichi strain by an extrapolation method with radioiodinated rat serum albumin]. Ishikawa J, Hayashi T. *Jikken Dobutsu.* 1994 Oct;43(4):535-9. Japanese.
- [Diurnal variation in passive avoidance response and serum corticosterone in rats]. Yamada K, Iwasaki T. *Shinrigaku Kenkyu.* 1994 Aug;65(3):173-80. Japanese.
- Morphological changes of somatostatin neurons in the suprachiasmatic nucleus by hypophysectomy of the rat. Shinoda M, Ishikawa K, Miura T. *Jikken Dobutsu.* 1994 Jul;43(3):333-41.
- Time-dependent ovulation-blocking effect of ether anesthesia differs from pentobarbital in rats. Kim CY, Wakabayashi K, Nobunaga T. *Tohoku J Exp Med.* 1994 Mar;172(3):237-42.
- Defensive aspects of burrowing behavior in rats (*Rattus Norvegicus*): A descriptive and correlational study. Kitaoka A. *Behav Processes.* 1994 Feb;31(1):13-27. doi: 10.1016/0376-6357(94)90034-5.
- Production of transgenic rats using pregnant and pseudopregnant rats prepared at a breeding farm. Kajiwara N, Sugiyama F, Goto Y, Sugiyama Y, Fukamizu A, Uehara S, Sugimura K, Murakami K, Hokao R, Akahori F, et al. *Jikken Dobutsu.* 1993 Jul;42(3):463-6.
- Pituitary and serum levels of prolactin (PRL), thyroid stimulating hormone (TSH) and serum thyroxine (T4) in hereditary dwarf rats (rdw/rdw). Umez M, Fujimura T, Sugawara S, Kagabu S. *Jikken Dobutsu.* 1993 Apr;42(2):211-6.
- [The change with age of the copulatory behavior of the male rats aged 67 and 104 weeks]. Hokao R, Saito TR, Wakafuji Y, Takahashi KW, Imamichi T. *Jikken Dobutsu.* 1993 Jan;42(1):75-82. Japanese.
- Heredity of muscle fibre composition estimated from a selection experiment in rats. Nakamura T, Masui S, Wada M, Katoh H, Mikami H, Katsuta S. *Eur J Appl Physiol Occup Physiol.* 1993;66(1):85-9.
- [Immunocytochemical and morphometric studies on the development of renin-immunoreactive cells in the rat kidney]. Tachibana T, Ogawa K, Taniguchi K. *Jikken Dobutsu.* 1992 Oct;41(4):471-9. Japanese.
- [Effect of age on the copulatory behavior of the male rat]. Hokao R, Ito T, Noguchi J, Wakafuji Y, Agematsu Y, Saito TR, Takahashi KW, Imamichi T. *Jikken Dobutsu.* 1992 Jul;41(3):259-68. Japanese.
- Ultrastructure and movement of the ependymal and tracheal cilia in congenitally hydrocephalic WIC-Hyd rats. Shimizu A, Koto M. *Childs Nerv Syst.* 1992 Feb;8(1):25-32.
- The effect of a protein-bound polysaccharide on T cell subsets of peripheral venous blood and thoracic duct lymph. Hanaue H, Okumura A, Kanno K, Tajima T, Mitomi T. *Tokai J Exp Clin Med.* 1991 Oct;16(3-4):163-9.
- [Pituitary and plasma levels of growth hormone (GH), follicle stimulating hormone (FSH) and luteinizing hormone (LH) in hereditary dwarf rats (rdw/rdw)]. Umez M, Kawada K, Miwa A, Ishii S, Masaki J. *Jikken Dobutsu.* 1991 Oct;40(4):511-5. Japanese.
- Effects of methamphetamine on copulatory behavior in male rats. Saito TR, Aoki S, Saito M, Amao H, Niwa T, Terada M, Sugiyama M, Takahashi KW. *Jikken Dobutsu.* 1991 Oct;40(4):447-52.
- Focal segmental glomerular hyalinosis and/or sclerosis in rats with congenital unilateral hydronephrosis. Ishitobi F, Sagiya A, Oka K, Ueda Y, Takimoto T, Ono Y, Kanaya H, Yaguchi T, Iidaka K, Tauchi K. *Acta Pathol Jpn.* 1991 Sep;41(9):653-60.
- Effects of fetal treatment with methylazoxymethanol acetate on radial maze performance in rats. Shimizu J, Tamari M, Katsukura T, Matsutani T, Nagata

- Y. Neurosci Res. 1991 Aug;11(3):209-14.
- Central effects of yohimbine on copulatory behavior in aged male rats. Saito TR, Hokao R, Aoki S, Chiba N, Terada M, Saito M, Dohbutsu A, Amao H, Wakafuji Y, Sugiyama M, et al. Jikken Dobutsu. 1991 Jul;40(3):337-41.
- [Effects of scopolamine upon delayed radial-arm maze performance in rats]. Hiraga Y. Nihon Yakurigaku Zasshi. 1991 Jun;97(6):351-9. Japanese.
- Behavioral comparisons of the Tsukuba emotional strains of rats (*Rattus norvegicus*) in three types of novel situations. Kitaoka A, Fujita O. Behav Genet. 1991 May;21(3):317-25.
- Comparative studies of embryotoxic action of ethylenethiourea in rat whole embryo and embryonic cell culture. Tsuchiya T, Takahashi A, Asada S, Takakubo F, Ohsumi-Yamashita N, Eto K. Teratology. 1991 Apr;43(4):319-24.
- Ultrastructure of respiratory cilia of WIC-Hyd male rats. An animal model for human immotile cilia syndrome. Torikata C, Kijimoto C, Koto M. Am J Pathol. 1991 Feb;138(2):341-7.
- [Changes in rhythmicity of ambulatory and drinking activities in immature female rats]. Shinoda M, Miura T, Tadokoro S. Jikken Dobutsu. 1991 Jan;40(1):83-7. Japanese.
- Distributional change of achromatic epithelial cells of the intestine in the fetuses and young of rats. Shirota K, Amasaki H, Daigo M. Jikken Dobutsu. 1991 Jan;40(1):89-93.
- [The changes of population and distribution of S-phase cells in precancerous lesions of rat bladder revealed by the method of bromodeoxyuridine labeling]. Hashimoto H, Sasaki M, Fujisawa M, Kaneko S, Tokunaka S, Yachiku S. Nihon Hinyokika Gakkai Zasshi. 1990 Oct;81(10):1518-24. Japanese.
- [Behavioral comparisons of rats (*Rattus norvegicus*) in Runway, open-field, and I-maze]. Kitaoka A, Fujita O. Shinrigaku Kenkyu. 1990 Oct;61(4):241-6. Japanese.
- [The effect of a protein-bound polysaccharide (PSK) on lymphocyte subsets of peripheral venous blood and thoracic duct lymph]. Hanaue H, Tokuda Y, Fujimoto T, Mizutani K, Okumura A, Kamijoh A, Ogoshi K, Makuuchi H, Nakasaki H, Tajima T, et al. Nihon Gan Chiryo Gakkai Shi. 1990 Jul 20;25(7):1410-8. Japanese.
- Transplacentally induced anorectal malformations in rats. Hirai Y, Kuwabara N. J Pediatr Surg. 1990 Jul;25(7):812-6.
- Plasma progesterone concentrations and length of the first spontaneous oestrous cycle in pubertal rats. Tomogane H, Yokoyama A. J Reprod Fertil. 1990 Mar;88(2):419-25.
- Nursing behavior in lactating rats—the role of the vomeronasal organ. Saito TR, Igarashi N, Hokao R, Wakafuji Y, Takahashi KW. Jikken Dobutsu. 1990 Jan;39(1):109-11.
- [Morphological study of the basement membrane of the developing lung in rats]. Maruyama H. Nihon Kyobu Shikkan Gakkai Zasshi. 1989 Oct;27(10):1173-83. Japanese.
- Effects of oral lentinan on T-cell subsets in peripheral venous blood. Hanaue H, Tokuda Y, Machimura T, Kamijoh A, Kondo Y, Ogoshi K, Makuuchi H, Nakasaki H, Tajima T, Mitomi T, et al. Clin Ther. 1989 Sep-Oct;11(5):614-22.
- [Basic studies on oral administration of lentinan (I)—influence on lymphocyte subsets in peripheral venous blood]. Hanaue H, Tokuda Y, Machimura T, Tsukui M, Mizutani K, Huang CM, Kamijoh A, Kondo Y, Ogoshi K, Makuuchi H, et al. Nihon Gan Chiryo Gakkai Shi. 1989 Aug 20;24(8):1566-71. Japanese.
- Development of progesterone dependency in the appearance of the nocturnal prolactin surge in immature rats. Tomogane H, Yokoyama A. J Reprod Fertil. 1989 Mar;85(2):503-9.
- Toxoplasma gondii: a simple method for titration of infectivity with monolayer cells. Endoh T, Yagita K. Jpn J Med Sci Biol. 1989 Feb;42(1):13-23.
- [Differences of behavioral rhythms observed by flat cage and running-wheel cage in female rat]. Shinoda M, Miura T, Tadokoro S. Jikken Dobutsu. 1988 Oct;37(4):463-8. Japanese.
- Effect of the suckling stimulus on daily LH surges induced by chronic oestrogen treatment in ovariectomized lactating rats. Tsukamura H, Maeda KI, Yokoyama A. J Endocrinol. 1988 Aug;118(2):311-6.

- [Studies on the development of water maze-learning ability in rats (3). Effect of the learning schedule on learning acquisition]. Hasegawa N, Shimamura K, Suzuki K. *Jikken Dobutsu*. 1988 Jul;37(3):297-301. Japanese.
- [Changes in the potentiation effect of [D-Ala₂, Met₅]-enkephalin on pressor responses to l-adrenaline in adrenal-enucleated rats]. Izumi M. *Nihon Yakurigaku Zasshi*. 1988 May;91(5):301-8. Japanese.
- Male hypogonadism as a candidate of deficiency of postnatal testicular growth or differentiating factor(s): a new autosomal recessive mutation in the rat. Suzuki K, Hakamata Y, Hamada A, Kikukawa K, Wada MY, Imamichi T. *J Hered*. 1988 Jan-Feb;79(1):54-8.
- [rdw rats, a new hereditary dwarf model in the rat]. Koto M, Sato T, Okamoto M, Adachi J. *Jikken Dobutsu*. 1988 Jan;37(1):21-30. Japanese.
- Effects of oral administration of streptococcal preparation OK-432 on thoracic duct lymphocytes. Hanaue H, Kim DY, Machimura T, Tsukui M, Kubota M, Kurokawa T, Shikata J, Kondoh Y, Ogochi K, Makuuchi H, et al. *Tokai J Exp Clin Med*. 1987 Sep;12(3):159-65.
- A comparison of uridine diphosphate-glucuronosyl-transferase and other drug metabolizing enzyme activities between two mutant strains of Wistar rats with a genetic deficiency in bilirubin or androsterone glucuronidation. Nagai F, Takahashi M, Horita H, Tanase H, Matsui M. *J Pharmacobiodyn*. 1987 Aug;10(8):421-6.
- [Effects of chlordiazepoxide on passive avoidance learning in Wistar-Imamichi and F344/Du strain rats]. Furukawa S, Takagi H, Iwasaki T. *Yakubutsu Seishin Kodo*. 1987 Jun;7(2):307-12. Japanese.
- Involvement of postnatal gonads in the maturation of dopaminergic regulation of prolactin secretion in female rats. Watanobe H, Takebe K. *Endocrinology*. 1987 Jun;120(6):2212-9.
- Involvement of postnatal gonads in the maturation of dopaminergic regulation of prolactin secretion in male rats. Watanobe H, Takebe K. *Endocrinology*. 1987 Jun;120(6):2205-11.
- Postnatal ovary is necessary for the maturation of estradiol-induced luteinizing hormone and prolactin surges in female rats. Watanobe H, Takebe K. *Horm Metab Res*. 1987 May;19(5):191-3.
- Role of postnatal gonadal function in the determination of thyrotropin (TSH) releasing hormone-induced TSH response in adult male and female rats. Watanobe H, Takebe K. *Endocrinology*. 1987 May;120(5):1711-8.
- [A recessive mutant causing testicular/ovarian teratoma in rats (Tera strain)]. Miwa M, Kojima M, Ohtani T, Tsuji K. *Jikken Dobutsu*. 1987 Apr;36(2):205-8. Japanese.
- [Comparison of lymphocyte subpopulations in arterial and venous blood of the rat]. Kunieda T, Kurokawa T, Sugiyama Y, Hanaue H, Imamichi T, Shikata J. *Jikken Dobutsu*. 1987 Apr;36(2):109-16. Japanese.
- [The development of water maze-learning ability in rats. (2) Effect of pretraining with the water-filled straight channel]. Hasegawa N, Shimamura K, Suzuki K, Imamichi T. *Jikken Dobutsu*. 1987 Apr;36(2):163-8. Japanese.
- Inherited hydrocephalus in Csk: Wistar-Imamichi rats: Hyd strain: a new disease model for hydrocephalus. Koto M, Miwa M, Shimizu A, Tsuji K, Okamoto M, Adachi J. *Jikken Dobutsu*. 1987 Apr;36(2):157-62.
- The mechanism of hormonal receptor regulation in the rat ovary following administration of gonadotropin and prolactin. Ota H, Fukushima M, Maki M. *Nihon Sanka Fujinka Gakkai Zasshi*. 1987 Mar;39(3):471-8.
- [Sex-related alterations in the functional development of the thermoregulatory system of rats exposed to tricyclic antidepressants at an early age]. Taguchi H. *Nihon Yakurigaku Zasshi*. 1987 Feb;89(2):63-72. Japanese.
- Formation of polycystic ovary in mature rats by the long-term administration of human chorionic gonadotropin. Ota H, Fukushima M, Maki M. *Tohoku J Exp Med*. 1987 Jan;151(1):33-40.
- Effect of oestrogen on *Pasteurella pneumotropica* in rat vagina. Yamada S, Mizoguchi J, Ohtaki T. *Lab Anim*. 1986 Jul;20(3):185-8.
- Teratogenicity study on 4-bromophenyl chloromethyl sulfone (BCS) in the rat. Tauchi K, Kawanishi H, Takeshima T. *J Toxicol Sci*. 1986 May;11(2):125-34.
- [An outbreak of *Trichophyton mentagrophytes* infection in a rat breeding stock and its successful control]. Mizoguchi J, Hokao R, Sano J, Kagiyama N.

- Imamichi T. *Jikken Dobutsu*. 1986 Apr;35(2):125-30. Japanese.
- [An increase in calcitonin levels in the thyroid gland of infant rats following parathyroidectomy]. Komura T. *Nihon Naibunpi Gakkai Zasshi*. 1986 Feb 20;62(2):69-81. Japanese.
- [Studies on the diuretic effect of haloperidol in adult rats]. Shirakura Y. *Nihon Yakurigaku Zasshi*. 1986 Feb;87(2):189-97. Japanese.
- Modulation of ovarian LH receptor and serum hormone levels in rats with hyperprolactinemia induced by administration of ovine prolactin or sulpiride. Ota H, Wakizaka A, Fukushima M. *Tohoku J Exp Med*. 1986 Feb;148(2):213-27.
- [Pharmacological studies on the pressor response in adrenal-enucleated rats]. Tomori M. *Nihon Yakurigaku Zasshi*. 1986 Jan;87(1):67-76. Japanese.
- Intra uterine survival and growth of Wistar and Wistar x Brown Norway rat embryos. Nagai J, Watanabe S, Kobayashi J, Sugawara S. *Theriogenology*. 1985 Feb;23(2):361-8.
- [Effect of sodium pentobarbital on the number of ova shed in superovulation treated adult rats: relationship between the number of ova shed and dose of GTHs]. Kagabu S. *Jikken Dobutsu*. 1984 Oct;33(4):497-9. Japanese.
- [The effect of the age factor on open-field behavior in rats]. Tanaka K, Sugiyama O, Igarashi S, Takagaki Y. *Jikken Dobutsu*. 1984 Jul;33(3):297-305. Japanese.
- [Teratogenicity study on bromperidol in rats]. Imai S, Tauchi K, Huang KJ, Takeshima T, Sudo T. *J Toxicol Sci*. 1984 Jun;9 Suppl 1:109-26. Japanese.
- [Increase in litter size and decrease of post-implantation loss of fetuses observed in an SPF colony of Wistar-Imamichi rats]. Wakafuji Y, Hokao R, Amao H, Takahashi KW, Imamichi T. *Jikken Dobutsu*. 1984 Apr;33(2):165-71. Japanese.
- X-ray microanalysis of spontaneously formed urinary calculi in a jaundiced strain of rat. Fukuda K, Tanaka M, Tanase H, Muramatsu Y, Mizuhira V. *Exp Mol Pathol*. 1984 Feb;40(1):21-8.
- Carcinogenic effects of 3-di(hydroxymethyl)-amino-6-(5-nitro-2-furylidenyl)-1,2,4-triazine in the small intestine of Ishibashi and Wistar rats. Takahashi M, Nagase S, Takahashi S, Emi Y, Nakae D, Uchida K, Konishi Y. *Exp Pathol*. 1984;26(4):213-9.
- [Sex and age differences in the spontaneous release of gonadotropins from immature rat pituitary glands in vitro]. Nonaka C. *Nihon Naibunpi Gakkai Zasshi*. 1983 Nov 20;59(11):1759-73. Japanese.
- Arterial pressure-urinary output relationship in DOCA-saline hypertensive rats. Sugai T, Nakagawa Y, Takeda K, Imai S. *Am J Physiol*. 1983 Nov;245(5 Pt 1):R633-6.
- Proliferation of *Pasteurella pneumotropica* at oestrus in the vagina of rats. Yamada S, Baba E, Arakawa A. *Lab Anim*. 1983 Oct;17(4):261-6.
- [Change in the vaginal smear cycle following conventionalization and monocontamination of germ-free rats with Enterobacter cloacae]. Shinoda M, Ohshima H, Miura T. *Jikken Dobutsu*. 1983 Oct;32(4):213-6. Japanese.
- Endocrinological and histological aspects of the process of polycystic ovary formation in the rat treated with testosterone propionate. Ota H, Fukushima M, Maki M. *Tohoku J Exp Med*. 1983 Jun;140(2):121-31.
- Identification and responsiveness of prolactin-containing secretory granules in clonal rat mammatrophs. McGill JR. *Anat Rec*. 1983 May;206(1):43-8.
- [Establishment of a rat strain with testicular hypoplasia and its morphological observations]. Fujita H, Ikadai H, Agematsu Y, Suzuki K, Imamichi T. *Jikken Dobutsu*. 1983 Apr;32(2):85-92. Japanese.
- The benzodiazepine receptor and receptor tolerance produced by chronic treatment of diazepam. Hironaka T, Fuchino K, Fujii T. *Jpn J Pharmacol*. 1983 Feb;33(1):95-102.
- [Changes in central nervous system development in rats caused by chronic administration of diazepam during the suckling period]. Fuchino K. *Nihon Yakurigaku Zasshi*. 1982 Dec;80(6):505-15. Japanese.
- [Gonadotrophic regulation of estrogen secretion by rat ovarian follicles (author's transl)]. Usuki S. *Nihon Sanka Fujinka Gakkai Zasshi*. 1982 Jul;34(7):863-72. Japanese.
- [The hypotensive effects and mechanism of SGB-483, a newly-synthesized hypotensive agent]. Chin W, Nakagawa Y, Mitomi A, Imai S. *Nihon Yakurigaku Zasshi*. 1982 May;79(5):441-9. Japanese.

[Clinico-biochemical study on Ishibashi rats (author's transl)]. Takahashi M, Nagase S, Ishibashi M. Jikken Dobutsu. 1981 Oct;30(4):457-63. Japanese.
Autoimmune anti-glomerular basement membrane glomerulonephritis induced with isologous renal antigen in rats. Hara M, Kihara I, Morita T, Oite T, Yamamoto T. Acta Pathol Jpn. 1981 May;31(3):367-77.

[Studies on the development of water maze-learning ability in rats. (1) Correlation between learning ability and brain weight in growth periods (author's transl)]. Hasegawa N, Furuoka R, Aoyama T, Imamichi T. Jikken Dobutsu. 1980 Oct;29(4):401-7. Japanese.

Various types of the pituitary folliculo-stellate cells involving the Siperstein's corticotroph in the normal rats. Nagata M, Mizunaga A, Ema S, Yoshimura F. Endocrinol Jpn. 1980 Feb;27(1):13-22.

[Variation in the number of nipples in Wistar-Imamichi rats (author's transl)]. Fujita H, Wakafuji Y, Agematsu Y, Imamichi T. Jikken Dobutsu. 1980 Jan;29(1):61-6. Japanese.

The age-related tumor incidence in Wistar-Imamichi rat. Maita K, Matsunuma N, Masuda H, Suzuki Y. Jikken Dobutsu. 1979 Oct;28(4):555-60.

[Role of brown adipose tissue in the thermal response to chlorpromazine in rats during cold exposure (author's transl)]. Uchida Y, Nomoto T. Nihon Yakurigaku Zasshi. 1979 Mar;75(2):107-15. Japanese.

[Changes in the substantia nigra self-stimulation behavior caused by intraventricular injection of norepinephrine, dopamine and GABA]. Hasegawa K. Nihon Yakurigaku Zasshi. 1976 Nov;72(8):985-90.

[Role of the adrenergic system in lateral hypothalamic self stimulation behavior: effects induced by intraventricular injection of epinephrine, norepinephrine, isoproterenol and dopamine]. Hasegawa K. Nihon Yakurigaku Zasshi. 1976 Nov;72(8):979-84. Japanese.

[Roles of noradrenergic and dopaminergic systems in the self-stimulation behavior of the substantia nigra]. Hasegawa K. Nihon Yakurigaku Zasshi. 1976 Oct;72(7):827-35. Japanese.

[Effects of psychotropic drugs and the roles of the noradrenergic and dopaminergic systems in the lateral hypothalamic self-stimulation behavior]. Hasegawa K, Sakai U. Nihon Yakurigaku Zasshi. 1976 Oct;72(7):815-26. Japanese.

[Clinical blood chemistry values in normal Wistar-Imamichi rats using the RaBA-System (author's transl)]. Hirano T, Takagaki Y. Jikken Dobutsu. 1976 Oct;25(4):303-6. Japanese.

Extraction and purification of a substance with luteinizing hormone releasing activity from the leaves of *Avena sativa*. Fukushima M, Watanabe S, Kushima K. Tohoku J Exp Med. 1976 Jun;119(2):115-22.

[The effect of sex hormones on the incidence of experimental urinary bladder tumors in rats (author's transl)]. Kono N, Sasaki N, Tanahashi T, Muraoka N, Azuma C. Nihon Hinyokika Gakkai Zasshi. 1975 Jul;66(7):409-17. Japanese.

Effects of diethylstilbestrol and testosterone propionate implanted in the hypothalamus on spermatogenesis in rats. Matsuyama S, Shimokawa K, Yokoki Y. Natl Inst Anim Health Q (Tokyo). 1975 Spring;15(1):38-44.

